



## Further Clinical Support for Varvimax™:

- i. Baghdikian B, Lanhers M, Fleurentin J, et al. An analytical study, anti-inflammatory and analgesic effects of Harpagophytum procumbens and Harpagophytum zeyheri. *Planta Med.* 1997;63:171-176.
- ii. Brien S, Lewith GT, McGregor G. Devil's Claw (*Harpagophytum procumbens*) as a Treatment for Osteoarthritis: A Review of Efficacy and Safety. *J Altern Complement Med.* 2006;12(10):981-93.
- iii. Cameron M, Gagnier JJ, Little CV, Parsons TJ, Blümle A, Chrubasik S. Evidence of the effectiveness of herbal medicinal products in the treatment of arthritis. Part I: Osteoarthritis. *Phytother Res.* 2009 Nov;23(11):1497-515.
- iv. Chantre P, Cappelaere A, Leblan D, Guedon D, Vandermander J, Fournie B. Efficacy and tolerance of Harpagophytum procumbens versus diacerein in treatment of osteoarthritis. *Phytomedicine.* 2000;7(3):177-83.
- v. Chrubasik S, Junck H, Breitschwerdt H, Conradt C, Zappe H. Effectiveness of Harpagophytum extract WS 1531 in the treatment of exacerbation of low back pain: a randomized, placebo-controlled, double-blind study. *Eur J Anaesthesiol.* 1999;16(2):118-129.
- vi. Chrubasik S, Pollak S, Black A. Effectiveness of devil's claw for osteoarthritis. *Rheumatology (Oxford).* 2002;41(11):1332-3.
- vii. Ernst E, Chrubasik S. Phyto anti-inflammatories. A systematic review of randomized, placebo-controlled, double-blind trials. *Rheum Dis Clin North Am.* 2000;26(1):13-27.
- viii. Gagnier JJ, van Tulder MW, Berman B, Bombardier C. Herbal medicine for low back pain: a Cochrane review. *Spine.* 2007;32(1):82-92.
- ix. Gobel H, Heinze A, Ingwersen M, Niederberger U, Gerber D. Effects of Harpagophytum procumbens LI 174 (devil's claw) on sensory, motor und vascular muscle reability in the treatment of unspecific back pain. [German] *Schmerz.* 2001;15(1):10-18.
- x. Laudahn D, Walper A. Efficacy and tolerance of Harpagophytum extract LI 174 in patients with chronic non-radicular back pain. *Phytother Res.* 2001;15(7):621-4.
- xi. Leblan D, Chantre P, Fournie B. Harpagophytum procumbens in the treatment of knee and hip osteoarthritis. Four-month results of a prospective, multicenter, double-blind trial versus diacerhein. *Joint Bone Spine.* 2000;67(5):462-467.
- xii. Chrubasik S, Fiebich B, Black A, and et al. Treating low back pain with an extract of Harpagophytum procumbens that inhibits cytokine release. *Eur J Anaesthesiol* 2002;19:209.
- xiii. Leblan, D., Chantre, P., and Fournie, B. Harpagophytum procumbens in the treatment of knee and hip osteoarthritis. Four-month results of a prospective, multicenter, double-blind trial versus diacerhein. *Joint Bone Spine* 2000;67:462-467.
- xiv. Chrubasik, S., Junck, H., Breitschwerdt, H., Conradt, C., and Zappe, Effectiveness of Harpagophytum extract WS 1531 in the treatment of exacerbation of low back pain: a randomized, placebo-controlled, double-blind study. *Eur.J Anaesthesiol.* 1999;16:118-129.
- xv. Gagnier JJ, van Tulder MW, Berman B, Bombardier C. Herbal medicine for low back pain. A Cochrane review. *Spine* 2007;32:82- 2000;6(6):469-473.

- xvi. Chrubasik S, Pollak S, Black A. Effectiveness of devil's claw for osteoarthritis. *Rheumatology (Oxford)*. 2002;41(11):1332-3.
- xvii. Leblan D, Chantre P, Fournie B. Harpagophytum procumbens in the treatment of knee and hip osteoarthritis. Four-month results of a prospective, multicenter, double-blind trial versus diacerhein. *Joint Bone Spine*. 2000;67(5):462-467.
- xviii. Ameye, L. G. and Chee, W. S. Osteoarthritis and nutrition. From nutraceuticals to functional foods: a systematic review of the scientific evidence. *Arthritis Res Ther* 2006;8:R127. View abstract.
- xix. Laudahn, D. and Walper, A. Efficacy and tolerance of Harpagophytum extract LI 174 in patients with chronic non-radicular back pain. *Phytother.Res*. 2001;15:621-624. View abstract.
- xx. Leblan, D., Chantre, P., and Fournie, B. Harpagophytum procumbens in the treatment of knee and hip osteoarthritis. Four-month results of a prospective, multicenter, double-blind trial versus diacerhein. *Joint Bone Spine* 2000;67:462-467. View abstract.
- xxi. Chrubasik, S., Junck, H., Breitschwerdt, H., Conradt, C., and Zappe, H. Effectiveness of Harpagophytum extract WS 1531 in the treatment of exacerbation of low back pain: a randomized, placebo-controlled, double-blind study. *Eur.J Anaesthesiol*. 1999;16:118-129. View abstract.
- xxii. Gagnier, J. J., van Tulder, M., Berman, B., and Bombardier, C. Herbal medicine for low back pain. *Cochrane.Database.Syst.Rev*. 2006;: CD004504. View abstract.
- xxiii. Baghdikian B, Lanhers MC, Fleurentin J, et al. An analytical study, anti-inflammatory and analgesic effects of Harpagophytum procumbens and Harpagophytum zeyheri. *Planta Med* 1997;63:171-6. View abstract.
- xxiv. Lanhers MC, Fleurentin J, Mortier F, et al. Anti-inflammatory and analgesic effects of an aqueous extract of Harpagophytum procumbens. *Planta Med* 1992;58:117-23 . View abstract.
- xxv. Grahame R, Robinson BV. Devils's claw (*Harpagophytum procumbens*): pharmacological and clinical studies. *Ann Rheum Dis* 1981;40:632. View abstract.
- xxvi. Chrubasik S, Sporer F, Dillmann-Marschner R, et al. Physicochemical properties of harpagoside and its in vitro release from Harpagophytum procumbens extract capsules. *Phytomedicine* 2000;6:469-73. View abstract.
- xxvii. Bloomer RJ. The role of nutritional supplements in the prevention and treatment of resistance exercise-induced skeletal muscle injury. *Sports Med*. 2007;37(6):519-532. Review.
- xxviii. Brien S, Lewith G, Walker AF, et al. Bromelain as an adjunctive treatment for moderate-to-severe osteoarthritis of the knee: a randomized placebo-controlled pilot study. *QJM*. 2006 Dec;99(12):841-850.
- xxix. Chobotova K, Vernallis AB, Majid FA. Bromelain's activity and potential as an anti-cancer agent: Current evidence and perspectives. *Cancer Lett*. 2010 Apr 28;290(2):148-156. Review.
- xxx. Guo R, Canter PH, Ernst E. Herbal medicines for the treatment of rhinosinusitis: a systematic review. *Otolaryngol Head Neck Surg*. 2006 Oct;135(4):496-506. Review.
- xxxi. Klein G, Kullich W. Short-term treatment of painful osteoarthritis of the knee with oral enzymes. A randomized, double-blind study versus diclofenac. *Clin Drug Invest*. 2000;19(1):15-23.



- xxxii. Klein G, Kullich W, Schnitker J, Schwann H. Efficacy and tolerance of an oral enzyme combination in painful osteoarthritis of the hip. A double-blind, randomized study comparing oral enzymes with non-steroidal anti-inflammatory drugs. *Clin Exp Rheumatol*. 2006 Jan-Feb;24(1):25-30. 33. Pillai K, Akhter J, Chua TC, Morris DL. Anticancer property of bromelain with therapeutic potential in malignant peritoneal.